

Section through the front louvres, Standard 940. Dimensions in mm.

AEROFOIL LOUVRES

117.5_{mm}

Each louvre is a hollow aerofoil blade, 117.5 mm deep and only 30.6 mm thick. The blades are tilted and overlap one another, so from the deck you see louvre, not machinery, while air still passes between them.

OPEN BACK

The cover stands against the wall with the rear left open for airflow and service access.

SOLID LID

A folded aluminium top keeps rain, leaves and direct sun off the unit.

CORNER POSTS

Square posts carry the louvres and lid, and stand the cover just clear of the deck.

POWDER COATED

Nine standard colours, or matched to your project.

STANDARD 760

Suits outdoor units
up to 760 W × 630
H × 480 D.

Overall size 889 W × 711.5 H × 547.5 D


Front louvres 6, at 113 mm pitch

Sides Louvred both sides


Back Open to the wall

Finish Powder coat, 9 standard colours


Drawn from the production model. Dimensions in mm.
Scale 1:12 at A4.




FRONT



SIDE



PLAN



STANDARD 940

Suits outdoor units
up to 940 W × 680
H × 480 D.

Overall size 1069 W × 761.5 H × 547.5 D


Front louvres 7, at 102 mm pitch

Sides Louvred both sides


Back Open to the wall

Finish Powder coat, 9 standard colours

Drawn from the production model. Dimensions in mm.
Scale 1:12 at A4.




FRONT



SIDE



PLAN



If the heat pump is in view, we would like to see it.

Send us a photo of the outdoor unit and its model number. We will come back with a size, a colour and a price.

ACM Fabricators Limited
72 Ellice Road, Glenfield
Auckland, New Zealand

Mobile 027 5070 555
Office 09 442 5062
info@acmf.co.nz